TECHNAXX®

www.technaxx.de www.musicman.eu

Products 2014/2015

TECHNAXX®

Technaxx Deutschland GmbH & Co.KG

Target of Technaxx Deutschland GmbH & Co.KG (estabilised 2003 in Frankfurt am Main, Germany, controlled by tenant), is to meet customer's demand by efficient and price orientated product policy. Digital-MultimediaProducts, Store-Brands (Technaxx®, MusicMan®, TechnaxxLED, FireMat®), Memory cards/USB flash drives and Licence products are in the sales focus of Technaxx as wholesaler. This strategy as well as a fair price performance guantees Technaxx to be up-to-date on the market and to react prompt and reliable to customer's demands.

End of 2010 Technaxx moved to a new office building with a larger stock departement, not only to increase the company itself, but also to enlarge its product range. That is basis for a stable customer retention. Stylish designed (frequently futuristic), easy-handling products of good quality guarantee fair value for money. The Technaxx product range always includes special developed products on basis of in-house design standard and performance in cooperation with qualified manufacturers of selected factories.

Decisive for a good market positioning as well as sales profit – domestic and abroad – verifies the correctness of this company idea. Moreover the whole Technaxx team brings in it's daily work many years of experience from the technological, sales and marketing side. Technical support and continual quality control are determinated as necessity.

The company's structure intentional is clear and lean (also to further expansion plans) to keep track on daily business – emphasised by the two company owners.

IN A NUTSHELL: Technaxx customer's likes are the guiding principle for decisions in future, namely to provide state-of-the-art digital products in a high professional manner.

Technaxx Deutschland GmbH & Co.KG

Web | www.technaxx-europe.de
www.technaxx.de
www.firemat.de

Head Office | Kruppstraße 105
60388 Frankfurt/Main (Germany)
Phone: +49 (0) 69 – 90 47 552 – 0
Fax: +49 (0) 69 – 90 47 552 – 16
EMail: verkauf@technaxx.de
EMail: sale@technaxx.com



Easy Security Camera Set TX-28

Digital waterproof outdoor wireless camera system with recording function

Features:
- 7 inch TFT LCD display inclusive one outdoor camera
- Interference-free, waterproof against water jet - dust - touching (IP65)
- Shows up to 4 cameras on the LCD display
- Built-in video recorder and 4 selectable channels
- Recording modes: manual, time programming (timer function) or by motion detection
- Digital transmission range up to 200m in open range
- Infrared night vision
- High sensitivity microphone
- Mobile displayable on iPhone and Android
- Supports MicroSD cards up to 32GB
- Easy Plug & Play installation without cable

Technical Specifications:
- Camera channels: 2400 – 2483.5 MHz
- Camera sensor: 1/4" OV7725 CMOS
- Camera resolution: 420 TVL
- Camera min. illumination: 0 LUX (IR on)
- Camera Ø lens / effective pixel: Ø 6mm / 640 (H) x 480 (V)
- Camera S/N ratio: more than 48 dB
- Camera video output: 1 Vp-p / 75 Ohm
- Camera power supply: DC 5V / 1A
- Camera weight / dimensions: 270 g / (L) 9,5 x (W) 6,8 x (H) 5,7 cm
- Monitor display: 7" TFT LCD
- Monitor video format: NTSC / PAL
- Monitor compression format: MPEG-4
- Monitor Video & Audio input / output: 4CH wireless single/1 composite output
- Monitor frame rate: 640 x 480 VGA 20fps / 320 x 240 QVGA 25fps
- Monitor memory card: MicroSD up to 32GB
- Monitor transmission range: ≥ 200m (open range)
- Monitor power supply: DC 12V / 1A
- Monitor weight / dimensions: 395 g / (L) 20,0 x (W) 12,0 x (H) 2,0 cm

Package Contents:
1x Wireless camera, 1x Wireless Video 7" TFT LCD Receiver, USB to Mini USB cable (PC connection), Cinch cable, Power adapter for the camera, Power adapter for the receiver, 3x screws and 3x dowels, User Manual

EAN-Code: 4260101737953
Article No. 4433

Additional Camera:
Single "Easy Security Camera TX-28",
EAN Code: 4260101737977,
Article No. 4453

TECHNAXX®

IP-Indoor Security Camera TX-23

Optimum all-round vision by rotatable camera head

Features:
- Brilliant 1/4" CMOS colour sensor
- Video resolution: 640 x 480 VGA with 25fps
- Supports P2P function, easy to connect through internet
- 4x digital zoom
- Alarm function, automatic alarm E-mails with image
- Direct Smartphone connection via QR-code APP
- QR-code scanning from the camera label produces immediate connection
- 10 IR–LEDs and IR night vision up to 10m
- M–JPEG video compress format
- Built-in microphone
- Rotatable head of the camera: 120° vertically, 355° horizontally
- Supports 802.11.b/g/n wireless protocol

Technical Specifications:
- Minimum illumination: 0.5 Lux
- Motion Detection + Capture
- Video (adjustable): Brightness, Contrast, Sharpness, Saturation
- One audio output and built-in microphone
- Audio format: ADPCM
- System interface: Audio output + Alarm input/output
- Internet interface: 10Base-T / 100Base-TX
- Video stream: 16Kbps ~ 4Mbps
- Protocol: TCP / IP
- Wireless network: Supports 802.11.b/g/n wireless protocol
- Alarm input: One-way on/off input
- Alarm output: One-way relay output
- Power Supply: External power adaptor DC 5V / 2A
- Power consumption: 4 W
- Working temperature: –5°C up to +55°C
- Weight / Dimensions: 282g / (L) 11 x (W) 10 x (H) 13cm

Windows Requirements:
WIN 7, WIN 8, Windows XP, Windows Vista

Hardware Requirements:
- 1GB RAM and 2 Core CPU for 1 camera at 1 time
- 2GB RAM and i3 or updated processor for 4 cameras at 1 time
- No matter how many cameras you'd like to connect, this software has no requirement for GPU (Graphic Processing Unit)

Package Contents:
IP-Indoor Security Camera TX-23, Power adapter, Network cable, Antenna and red plastic cap for the antenna, Bracket and screws, Installation CD with user manual in 7 languages, User Manual (english and german version)

EAN-Code: 4260101737939
Article No. 4320



IP-Outdoor Security Camera HD TX-24

Surveillance Camera for indoor and outdoor use

Features:
- Brilliant 1/4" CMOS colour sensor
- Video resolution 1280 x 720 Pixel 720P HD with 25fps
- Supports P2P function, easy to connect through internet
- 4x digital zoom
- Alarm function, automatic alarm E-mails with image
- Direct Smartphone connection via QR-code APP
- QR-code scanning from the camera label produces immediate connection
- 36 IR–LEDs and IR night vision up to 20m
- Supports MicroSD memory card up to 32GB
- Video compress format: H.264 720p Multi Stream
- Supports 802.11.b/g/n wireless protocol
- Additional clamp connections to connect external alarm devices

Technical Specifications:
- Minimum illumination: 0.5 Lux
- Waterproofed: IP65
- Motion Detection + Capture
- Video (adjustable): Brightness, Contrast, Sharpness, Saturation
- One audio output
- Audio format: G.726
- System interface: Audio input/output + Alarm input/output
- Internet interface: 10Base-T / 100Base-TX
- Video stream: 16Kbps ~ 4Mbps
- Protocol: TCP / IP
- Wireless network: Supports 802.11.b/g/n wireless protocol
- Alarm input: One-way high level input
- Alarm output: One-way DC5V 300mA output
- Power Supply: External power adaptor DC 12V / 1A
- Power consumption: 4 W
- Working temperature: –5°C up to +55°C
- Weight / Dimensions: 725g (with cable) / (L) 26 x (W) 7 x (H) 16cm

Windows Requirements:
WIN 7, WIN 8, Windows XP, Windows Vista

Hardware Requirements:
- 1GB RAM and 2 Core CPU for 1 camera at 1 time
- 2GB RAM and i3 or updated processor for 4 cameras at 1 time
- No matter how many cameras you'd like to connect, this software has no requirement for GPU (Graphic Processing Unit)

Package Contents:
IP-Security Camera for indoor and outdoor use HD TX-24, Power adapter, Network cable, Antenna and red plastic cap for the antenna, Bracket and screws, Installation CD with user manual in 7 languages, User Manual (english and german version)

EAN-Code: 4260101737946
Article No. 4319

Nature Cam TX-09

Surveillance Camera for indoor and outdoor use

Features:
- Ideal for viewing wild animals and for monitoring houses
- Video and photo function are selectable
- Standby time ~ up to 180 days
- Motion and infrared sensor for night shots
- Motion Detection Distance ~ up to 15m
- SDHC card slot up to 32GB
- Spashproof to IPX4
- Mount for the camera and fixation belt
- Easy handling and installation

Technical Specifications:
- Display: 2.4 inch TFT 240 x 320 GRB panel
- Image Sensor: 2 .5" CMOS sensor, 5 mega pixels
- Lens: F=2.7, f=7.5mm, 2G2P F:2.7, 52° View Angle Lens, Focus is fixed
- White Balance / Exposure: Auto
- Video resolution / Video format: HD: 1280 x 720 (720p) / AVI
- Video encode: Motion JPEG
- Audio input / Audio output: Built-in microphone / Speaker of 0.8W
- Still picture / Photo fomat / Flash type: 5M (2592 x 1944 pixels) / JPG / IR LED x 36
- TV out: PAL
- Connector: Mini USB 2.0 / 5 pin port
- Power source: 4 x D-cell batteries* (*not included)
- Weight / Dimensions: 523 g (without batteries / (L) 14,5 x (W) 10 x (H) 17 cm (include mount)

Package Contents:
- Nature Cam TX-09
- USB cable
- TV-out cable
- Mount for the camera
- Belt for the trunk
- User Manual

EAN-Code: 4260101736376 (Brown)
Article No. 3981

EAN-Code: 4260101736383 (White)
Article No. 3982

EAN-Code: 4260101737922 (Camouflage)
Article No. 4255

GPS-Autokamera Car Camera Full HD TX-21

Digital HD video camera for taking pictures in 1920 x 1080 FULL HD resolution

Features:
- 2.7" LTPS display in format 16:9
- FULL HD resolution 1920 x 1080P
- High resolution 3.0 Mega pixels sensor
- 170° ultra super wide angle lens
- GPS function and G-Sensor
- 2x MicroSD card slot up to 32GB
- Endless recordings up to 19 hours
- 4x digital zoom with ranges from 12cm to limitless distance
- Supports HDMI high quality video transmission
- Travel speed display in video playback
- Suction cup holder and magnet for save and convenient operation

Technical Specifications:
- 3.0 Mega pixel with AR0330 sensor
- Video resolution: 1080FHD (1920x1080), 720P (1280x720), WVGA (848x480), VGA (640x480); 30fps for smooth video flow
- Video format: MOV with advanced H.264 video compression technology
- Image resolution: VGA 640x480, 1.3M 1280x960, 12M 4032x3024, 10M 3648x2736, 8M 3264x2448, 5M 2592x1944, 3M 2048x1536, 2MHD 1920x1080
- Image format: JPG
- Built-in Microphone and Speaker
- Storage: 2x MicroSD memory card up to 32GB
- Record time: 2x up to 9.5 hours per MicroSD card
- Charging: through DC port or USB cable
- TV mode: PAL / NTSC
- Frequency: 50Hz / 60Hz
- USB 2.0 port
- 5V 500mA power input
- Built-in rechargeable lithium-ion 300mAH battery
- Weight / Dimensions: 126g / 120 x 80 x 110mm (without cable)

System Requirements:
Windows 2000 / XP / Vista / Windows 7, Windows 8 & 8.1, Mac OS 10.3.6 or above

Package Contents:
- GPS-Autokamera Full HD TX-21
- Car charger
- USB cable
- HDMI cable
- GPS modul
- CD-ROM, Holder with suction cup
- User Manual

EAN-Code: 4260101739889
Article No. 4285

CarHD Cam 1080P TX-14

Car camera with video & photo & playback function, Motion detect function and Full HD resolution

Features:
- 2.7" LTPS LCD-Display in format 16:9
- Video resolution 1080 Full HD (1920x1080) with 30fps
- Image resolution 12M (4032x3024) up to 12 mega pixel interpolated
- 120° viewing angle & wide angle lens (3.0 mega pixels, JPEG format)
- Motion detect function
- G-sensor function
- Automatic recording function and simultaneous charging/recording mode
- 4x digital zoom, ranges from 12cm to limitless distance
- Built-in microphone and built-in speaker
- Anti-Shake mode and 1080P for smooth video flow
- USB2.0 and HDMI output with live playback function
- Supports MicroSD memory card up to 32GB
- Camera installation on bracket, easy to fix and to dismantle

Technical Specifications:
- Video resolution / format: 1080FullHD (1920x1080), 1080P (1440x1080), 720P (1280x720) / MOV H.264 Compress Format
- Image resolution / format: 12M (4032x3024), 10M (3648x2736), 8M (3264x2448), 5M (2592x1944), 3M (2048x1536), 1.3M (1280x960), 2MHD (1920x1080), VGA (640x480) / JPEG
- Languages: English, German, French, Spanish, Italian, Portuguese
- Shooting way: Single / 2 sec. clocking / 5 sec. clocking / 10 sec. clocking
- TV mode: PAL / NTSC
- Frequency / Power input: 50/60Hz / 5V 500mA
- Power supply: Built-in rechargeable Li-Ion battery (usage time fully charged ~1/2 hour) or 5V charger for cigarette lighter
- Weight / Dimensions: 69 g / (L) 11.3 x (W) 3.2 x (H) 4.6 cm

System Requirements:
Windows 7 / 8 / XP / Vista / 2000, MAC OS 10.3.6 or higher

Package Contents:
- CarHD Cam 1080P TX–14
- USB cable
- HDMI cable
- 5V charger for car cigarette lighter socket
- Bracket with suction cup
- User Manual

EAN-Code: 4260101736314
Article No. 4182

CarHD Cam SafeGuard TX-13

Car camera with video & photo & playback function, Motion detect function and Full HD resolution

Features:
- 1.5" LTPS LCD Display in format 4:3
- Video resolution 1080 Full HD (1920x1080) with 25fps
- Image resolution 12M (4032x3024) up to 12 mega pixel interpolated
- 120° viewing angle & wide angle lens (1.3 mega pixels, JPEG format)
- Motion detect function
- G-sensor function and SOS function
- Automatic recording function and simultaneous charging/recording mode
- Dual super infrared night vision light
- Built-in microphone and built-in speaker
- Anti-Shake mode for smooth video flow
- USB2.0 and HDMI output with live playback function
- Supports MicroSD memory card up to 32GB
- Camera installation on bracket, easy to fix and to dismantle

Technical Specifications:
- Video resolution / format: 1080FullHD (1920x1080), 1080P (1440x1080), 720P (1280x720) / AVI
- Image resolution / format: 12M (4032x3024), 10M (3648x2736), 8M (3264x2448), 5M (2592x1944), 3M (2048x1536), 1.3M (1280x960), 2MHD (1920x1080), VGA (640x480) / JPEG
- Languages: English, German, French, Spanish, Italian, Portuguese
- Shooting way: Single / 2 sec. clocking / 5 sec. clocking / 10 sec. clocking
- TV mode: PAL / NTSC
- Frequency / Power input: 50/60Hz / 5V 500mA
- Power supply: Built-in rechargeable Li-Ion battery (usage time fully charged ~1/2 hour) or 5V charger for cigarette lighter
- Weight / Dimensions: 37 g / (L) 6.2 x (W) 4.8 x (H) 2.3 cm

System Requirements:
Windows 7 / 8 / XP / Vista / 2000, MAC OS 10.3.6 or higher

Package Contents:
- CarHD Cam SafeGuard TX–13
- USB cable
- HDMI cable
- 5V charger for car cigarette lighter socket
- Bracket with suction cup
- User Manual

EAN-Code: 4260101736307
Article No. 4181

CCD-Security Camera Dummy TX-18

Faithful reproduction of an infrared security camera

Features:
- Deceptively real looking dummy
- Built-in, red flashing LED deters thieves
- Dummy cable on the camera back
- Protruding cover protects the dummy lens
- Simple mounting

Technical Specifications:
- Power supply: 2x AA batteries* (*not included)
- Material: ABS plastic
- Only water protected outdoor mounting is recommended
- Weight / Dimensions: 233 g (without batteries) / Ø 8,0 x 21,0 x 17 cm

Package Contents:
- CCD-Security Camera Dummy TX-18
- 3x screws and 3x anchor bolts
- Warning label "camera protected"
- Quick User Guide

EAN-Code: 4260101737908
Article No. 4310

Dome Camera Dummy TX-19

Faithful reproduction of an infrared dome security camera

Features:
- Deceptively real looking dummy
- Built-in, red flashing LED deters thieves
- Motion detection sensor for the LED
- Built-in dummy lens
- Simple mounting

Technical Specifications:
- Power supply: 2x AA batteries* (*not included)
- Material: ABS plastic
- For indoor use only
- Weight / Dimensions: 110 g (without batteries) / Ø 11,6 x (H) 7,0 cm

Package Contents:
- Dome Camera Dummy TX-19
- 3x screws and 3x anchor bolts
- Warning label "camera protected"
- Quick User Guide

EAN-Code: 4260101737915
Article No. 4311

Video-Sport Sunglasses Full HD 1080P TX–25

Real-time video recording with sound in brilliant picture quality

Features:
- HD camera lens in the eyeglass bridge with 142° wide-angle and 5 Megapixel CMOS sensor
- Photo resolution interpolated 15M pixel 4480 x 3360, JPEG format
- Video resolution Full HD 1920x1080P with 25fps, AVI format
- Interchangeable sun protection lenses UV400 in 3 colours
- Built-in rechargeable Lithium-Ion-Polymer battery 400mAh
- Supports MicroSD memory cards up to 32GB (Class 10 is recommended)
- User-friendly one-button operation
- Elegant, stylish, sporty design

Technical Specifications:
- Easy connection with PC/Notebook, no driver needed
- Batterie charging time ~ 1.5 hours (charged via USB connection)
- Battery playing time ~ 1 hour for video recording
- Frame material ABS + PC
- USB: MINI 8 Pin
- Power adapter 5V DC 1A
- Power consumption < 0.8 W
- Operating systems: Windows 8.1, 8, 7, Vista, XP and compatible mit MAC
- Player Software: Windows Media Player, Real player, Stormcodec
- Weight / Dimensions: 56 g / (L) 16.5 x (W) 7.7 (bows folded) x (H) 4.8 cm

Package Contents:
- Video-Sport Sunglasses Full HD 1080P TX–25
- USB cable, Power adaptor 5V DC 1A
- Protective case with zipper and hand loop
- 1 pair of dark grey, yellow, blue lenses
- Cleaning cloth
- User Manual

EAN-Code: 4260101739902
Article No. 4358

Mini Keychain with camera TX-34

Stylish clock with built-in video camera for wall mounting, table or shelf

Features:
- Small CMOS camera lens hidden in the dial
- Sensor detection and manual recording function
- Motion detection via PIR sensor
- Recording time up to 5 hours and stand-by time approx. 25 days
- Snapshot function
- Audio recording by hidden microphone in USB port
- Save videos on SD card up to 32GB
- Easy handling

Package Contents:
- Video Wall Clock VGA
- USB cable
- DC cable
- Stand
- User Manual

EAN-Code: 4260101736659
Article No. 4219

Technical Specifications:
- Video resolution / Video format: 720 x 480 with 30fps / AVI
- PIR sensor: Area of 3–8m and 70° sector
- Built-in rechargable 1000mAH Lithium Polymer battery
- LED-Batteriestatusanzeige
- Charging time / Recording time: ~5 hours / ~5 hours
- Stand by time: ~25 days (~600 hours)
- Charging voltage: DC–5V or 1A power adaptor* (* not included)
- Separate AA battery* for clock operation (* not included)
- Supported systems: Windows ME/Vista/XP/2003/2000/98, Mac OS, Linux
- Weight / Dimensions: 450 g / Ø 18 cm, (Thickness) 4 cm

Mini Keychain with camera TX-34

Records videos and photos quickly and easily just by pressing a button

Features:
- Video resolution: 720 x 480 pixel with 30 fps
- Photo resolution: 1280 x 960 pixel (1.3 megapixel)
- Built-in microphone for audio recordings
- Supports MicroSD cards up to 32GB
- Easy fastening with key ring on a pocket or key chain
- Simple video transmission e.g. to YouTube
- Small device in your pocket, ideal to go – no matter where!

Package Contents:
- Mini keychain with camera TX–34
- USB charging cable
- User Manual

Technical Specifications:
- Video format: AVI
- Video recording time with full battery ~ 30 minutes
- Built-in, rechargeable Lithium-Ion 280mAh battery with 3.7V
- Battery charging time ~ 2 hours
- Weight / Dimensions: 18 g (with key chain) / (L) 11.0 x (W) 3.3 x (H) 1.3 cm

Operation Systems:
WIN 8.1 / 8 / 7, Windows VISTA / XP / 2000 / ME

EAN-Code: 4260101736673
Article No. 4461

Video Watch Actionmaster 4GB

Watch with camera and microphone for video, photo and audio recordings

Features:
- Built-in digital camera with nearly invisible camera lens in the dial
- Video resolution 640 x 480 with 30fps, AVI format
- Photo resolution 1600 x 1200, JPEG format
- Built-in microphone for sound recording
- Protected against spashing water, dirt, dust, drizzle, snow
- Trendy design with comfortable fit

Package Contents:
- Video Watch Actionmaster 4GB
- USB cable
- USB power adapter (for charging)
- CD-ROM (with driver for Windows98)
- User Manual

EAN-Code: 4260101736390
Article No. 3233

Technical Specifications:
- Built-in, rechargeable lithium battery (via USB or adapter)
- Charging time ~ 2 – 2,5 hours
- Recording time ~ 45 – 60 minutes
- Built-in 4GB flash memory
- USB 1.1 interface
- Lenght of the watch with strap: 24 cm
- Gewicht / Maße: 85 g / (L) 4.8 x (W) 1.6 x (H) 5.0 cm (without wrist strap)

Operation Systems:
Windows 8.1 / 8 / 7 / Vista / XP / ME / 2000 / MAC OS 9.2.2 oder höher (Win98 benötigt eine Treiberinstallation)

VIP – Video Interview Pen Black

Ball pen with built-in flash memory, photo and video function

Features:
- Built-in digital camera with nearly invisible camera lens in the ball pen head
- Video resolution 640 x 480 with 30fps, AVI format
- Photo resolution 1280 x 1024, JPEG format
- Built-in microphone for sound recording
- 100% Plug & Play - no need of a driver

Package Contents:
- VIP–Video Interview Pen
- USB cable
- USB power adapter (for charging)
- User Manual

EAN-Code: 4260101732019 (4GB)
Article No. 1156

EAN-Code: 4260101732194 (8GB
Article No. 1336

Technical Specifications:
- Built-in, rechargeable lithium-ion battery (via USB or adapter)
- Charging time ~ 2 – 2,5 hours
- Recording time ~ 60 – 70 minutes
- Internal flash memory: 4GB or 8GB
- USB 2.0 interface
- File size: approx. 21MB / min.
- Weight / Dimensions: 30 g / Ø 18 cm x (L) 14 cm

Fitness Wristband Classic TX-37

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Displays real activity step, distance covered and calories burned
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP
- Ideal for making friends with sports companions

Package Contents:
- Fitness Wristband Classic TX-37
- Micro USB charging cable
- User Manual

EAN-Code: 4260358120300 (Black)
Article No. 4444

EAN-Code: 4260358120317 (Pink)
Article No. 4445

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 60mAh battery (via Micro USB port)
- Charging time ~ 2 hours and long stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the LED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 15.5 g / (L) 28.5 x (W) 2.0 x (H) 0.95 cm

Fitness Wristband Active TX-38

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Especially suitable for joggers and other outdoor activities
- Displays real activity step, distance covered and calories burned
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP
- Ideal for making friends with sports companions

Package Contents:
- Fitness Wristband Active TX-38
- Micro USB charging cable
- User Manual

EAN-Code: 4260358120324 (Black)
Article No. 4446

EAN-Code: 4260358120331 (Pink)
Article No. 4447

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 50mAh battery (via Micro USB port)
- Charging time ~ 2 hours and long stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the LED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 20.4 g / (L) 25.7 x (W) 1.6 x (H) 1.0 cm

Fitness Wristband Elegance TX-39

Wristband to monitor your fitness, your sleep and your active phases

Features:
- Especially suitable for joggers and other outdoor activities
- Displays real activity step, distance covered and calories burned
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP
- Ideal for making friends with sports companions

Package Contents:
- Fitness Wristband Elegance TX-39
- Micro USB charging cable
- User Manual

EAN-Code: 4260358120348 (Black)
Article No. 4448

EAN-Code: 4260358120355 (Pink)
Article No. 4449

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion and bumps
- Built-in, rechargeable lithium 60mAh battery (via Micro USB port)
- Battery charging time ~ 2 hours and long stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the LED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 18.5 g / (L) 25.3 x (W) 1.5 x (H) 0.95 cm

Fitness Wristband Aqua waterproof TX-42

Waterproof wristband to monitor your fitness, your sleep and your active phases

Features:
- Special protection (IP67) against a powerful water jet and temporary submersion
- Displays real activity step, distance covered and calories burned
- Compete and share your success with friends via Facebook & Twitter
- Connection via Bluetooth 4.0, taxable via APP
- Free iOS and Android APP
- Ideal for making friends with sports companions

Package Contents:
- Fitness Wristband Aqua waterproof TX-42
- Micro USB charging cable
- User Manual

EAN-Code: 4260358120379 (Black)
Article No. 4468

Technical Specifications:
- Fitness Wristband with OLED display
- Resistant to scratches, abrasion, bumps, dust and water
- Built-in, rechargeable lithium 50mAh battery (via Micro USB port)
- Charging time ~ 2 hours and long stand-by time
- Intelligent activity and sleep diameter
- Track your sleep rhythem and wake up silently with a vibrating alarm
- Instant access to up-to-the-minute stats via the LED display
- Motivates to achieve desired goals and reminds to be active
- Energy consumption and sleep data measurable and synchronisable
- Weight / Dimensions: 22 g / (L) 25.0 x (W) 1.7 x (H) 1.0 cm

TECHNAXX®



Fitness Scale TX-41

All important body values at a glance!

Features:
- Weight and BMI values (Body Mass Index) can be saved in a personal account
- Changes in weight and BMI can be shown as graphic from teh APP on Smartphone or iPad
- Compete and share your success with friends via Facebook & Twitter
- Bluetooth 4.0 connection via iPhone and iPad
- Free iOS and Android APP
- Supports by setting goals and to reduce weight
- Gives tips for a healthier body on basis of your current BMI value
- Stylish design with a 6mm tempered glass platform

Technical Specifications:
- Fitness Scale with LCD 1,25" display (3,18 cm)
- Capacity of 180 kg / 3961b
- Displays in 0.1 kg (0.21b) steps; kg/b selectable
- Equipped with 4 high precision strain gauge sensors
- Tap switch for ON / Switches OFF automatically
- Power supply: Lithium CR2032 battery* (*not included in delivery)
- Overload indicator
- Battery status indicator
- Material: ABS and glass
- Tempered glass platform is resistant to scratches and abrasion
- Weight / Dimensions: 1.8 kg / (L) 31.0 x (W) 30.0 x (H) 2.3 cm

Package Contents:
- SFitness Scale TX-41
- User Manual

EAN-Code: 4260358120362
Article No. 4452

Smart Watch TX-26

Modern communication you wear from now on your wrist

Features:
- Control of daily operations through APPs, e.g. Pedometer, Smartphone location, Camera
- Synchronisation of the personal contact list
- Taking pictures, Time display, alarm funktion, weather forecast
- Checks eMails, reminiscent incoming calls/messages
- Wireless connection to any Bluetooth device
- Supports social networks (e.g. Twitter, Facebook)

Technical Specifications:
- Display: 3.9cm (1.55") TFT with LCD background
- Display resolution: 240 x 240 pixel
- Bluetooth: compliant with BT 4.0 + EDR, Module typ BCM20715, Transmitted power Class 2, Transmission range ~10m (open field)
- Built-in microphone for audio recordings
- Built-in, rechargeable Lithium Polymer 290mAh battery
- Working time: ~ 4.5 hours with lightening screen and BT is turned on
- Working time: ~ 48 hours at normal use
- Stand-by time ~ 5 – 7 days
- Power: 3.5V–4.2V / Consumption: Stand-by 0.2mA, Operating 65–100mA
- Dimensions watch only: (L) 5.8 x (W) 1.0 x (H) 4.2 cm
- Weight / Dimensions: 50g / (L) 26cm (with watch strap)

System Requirements:
ios and Android Smartphone (higher ios 7.0 and Android 4.0) / Operation System: Android 4.3

Package Contents:
- Smart Watch TX–26
- USB charging cable, User Manual

EAN-Code: 4260101736680
Article No. 4460

LED RGB App-Bulb E27 7W

Innovative Home Technology - Controll your bulb by Smartphone App

Features:
- Brightness and Colour are adjustable through the App on your Android or ios device
- Various possibilities of use, e.g. home interiors, bars, clubs, discos, etc.
- Compatible with iPhone 4s or later, iPad3 or later, Android 4.3 device with Bluetooth 4.0 LE, ios 6.0 or above

Technical Specifications:
- Base: E27
- Energy Class A
- Energy efficiency: ≥ 80%
- Life span ≤ 25,000 hours
- Power consumption 7W ± 10%
- Luminous flux and Brightness: 490 ± 10Lm
- Illumination angle 120°
- Colour temperature (Tc: 5000 ± 200K
- Colour rendering: 70 Ra
- Voltage 100 ~ 240V
- Radio frequency 2.4GHz
- LED colours: 6x White, 2x Red, 2x Green, 2x Blue
- Input Power: White 6W / RGB 6W
- Communication mode: Bluetooth 4.0 LE
- Transmission distance max. 20m (open range)
- Weight / Dimensions: 142 g / Ø 7.0 cm x 12.6 cm

Package Contents:
- LED RGB App-Bulb E27 7W
- User Manual

EAN-Code: 4260101737274
Article No. 4462



Tablet Case with built-in Bluetooth speaker TX-33

Sound amplification and protection case for you tablet all in one

Features:
- Speaker output up to max. 10W
- Streaming music from all popular Bluetooth enabled mobile devices
- Back up power on the go for mobile devices, e.g. Smartphones
- Music playback for approx. 8 – 10 hours (depending on volume)
- Bluetooth version 3.0 with operating distance of max. ~ 10m (open range)
- For any tablet with 9.7" up to 10.5" (e.g. iPad series, Samsung Galaxy)
- Effective protection against scratches, bumps, dust and dirt
- Ideal for traveling, feasible and shapely Design

Technical Specifications:
- Built-in, rechargeable Lithium-ion 2200mAh battery
- USB port DC-Out 5V/1A for charging all popular mobile devices
- Micro USB port DC-In for charging of the tablet case
- Less power consumption
- Robust fabric cover with inside felt coating and wide, firm elastic band closure
- 4 inside leather reinforced corners for maximum support for the tablet
- 2 stop edges to set up the tablet in two different angles
- Weight / Dimensions: 430 g / (L) 22 x (W) 3 x (H) 27 cm

Package Contents:
- Tablet Case with built-in Bluetooth speaker TX-33
- Micro USB charging cable
- User Manual

EAN-Code: 4260101739957 (Black)
Article No. 4466

EAN-Code: 4260101739964 (Grey)
Article No. 4467

LED Power Bank TX-15

Charging mobile devices, e.g. iPhone, iPad, iPod, MP3/MP4 player, GPS, Mobile phone, Bluetooth device, Tablet PC

Features:
- Suitable for nearly all kinds of mobile phones & digital products with USB port
- Capacity 4400mAH
- 4 charging adapters: MicroUSB, iPhone, Nokia DC2.0, Samsung
- Can be used as torch light with 4 bright LEDs on the side
- Precise IC protector which avoids over-charging/discharging and short circuit
- Intelligent single-chip controls the charging cycle
- Steady, high efficiency and long using time
- Small and handy, ideal for traveling

Technical Specifications:
- Input: DC 5V ~ 1000mA
- Output: DC 5V ~ 1000mA
- Charging time: ~ 6 hours
- iPhone charging: ~ 1,5 times
- Weight / Dimensions: 115 g / (L) 8.9 x (W) 5.1 x (Thickness) 2.8 cm

Package Contents:
- LED Power Bank TX-15
- DC3.5 USB cable
- User Manual

EAN-Code: 4260101739865 (Black) **Article No.** 4221
EAN-Code: 4260101739872 (White) **Article No.** 4222

Mini Power Bank 2600mAh TX-36

Portable battery to charge mobile devices

Features:
- Rechargeable lithium-ion battery 5V / 9.62W with 2600mAh capacity
- For charging the most mobile devices
- Back up power on the go
- Ideal for traveling and leisure time, low energy consumption

Technical Specifications:
- LED light: 5V / 0.115W
- Input voltage / current: DC 5V / 500mAh
- Output voltage / current: DC 5V / 1000mAh
- Full recharge time ~ 3 hours
- Charging of mobile phones: 1.1x iPhone 5; 0.3x Samsung Galaxy Note 3; 0.4x Samsung Galaxy S4/S5
- Weight / Dimensions: 65 g / (L) 7.3 x (W) 3.5 x (H) 2.3 cm

Package Contents:
- Mini Power Bank 2600mAh TX–36
- USB charging cable
- User Manual

EAN-Code: 4260358120546 **Article No.** 4454

Slim Power Bank 13200mAh TX-32

Portable high performance battery for simultaneous charging of 2 mobile devices

Features:
- Rechargeable lithium-polymer battery 5V / 48.84W with 13200mAh capacity
- For charging the most mobile devices
- Back up power on the go
- 2 outputs for simultaneous charging of two digital devices
- Usable as charger and torch light at the same time
- Ideal for traveling and leisure time, low energy consumption

Technical Specifications:
- LED light: 5V / 0.115W
- Input voltage / current: DC 5V / 1A
- Output voltage 1 / current: DC 5V / 1A
- Output voltage 2 / current: DC 5V / 2.1A
- Full recharge time ~ 14 – 15 hours
- Charging of mobile phones: 5.8x iPhone 5; 2.6x Sony Z1/Z2; 2.6x Samsung Galaxy Note 3; 3.0x Samsung Galaxy S4/S5
- Weight / Dimensions: 300 g / (L) 15.5 x (W) 7.5 x (H) 1.5 cm

Package Contents:
- Slim Power Bank 13200mAh TX–32
- USB charging cable
- User Manual

EAN-Code: 4260358120522 (Black) **Article No.** 4457
EAN-Code: 4260358120539 (White) **Article No.** 4458

Power Bank Lighthouse 7800mAh TX-31

Portable battery with RGB colour-changing function

Features:
- Rechargeable battery 5V / 28.86W with 7800mAh capacity
- For charging the most mobile devices
- Back up power on the go
- Single beam light or 360° beam light function
- Usable as charger and light source at the same time
- RGB colour-changing function with remote control
- Metal hook to hang it somewhere
- Possibilities of use: home interiors, camping purposes, night light, etc.

Technical Specifications:
- LED light: 3.7V / 0.1665W
- Input voltage / current: DC 5V / 1A
- Output voltage / current: DC 5V / 2.1A
- Full recharge time ~ 8 – 9 hours
- Charging of mobile phones: 3.5x iPhone 5; 1.5x Sony Z1/Z2; 1.5x Samsung Galaxy Note 3; 1.8x Samsung Galaxy S4/S5
- Weight / Dimensions: 207 g / Ø 5.0 (triangle shape) x (H) 10.0 cm / (H) 13.5 cm (pulled out)

Package Contents:
- Power Bank Lighthouse 7800mAh TX–31
- USB charging cable
- Remote control
- User Manual

EAN-Code: 4260358120508 (Black)
Article No. 4455

EAN-Code: 4260358120515 (White)
Article No. 4456

LINKASE PRO TX-27

Increase the 3G and WiFi signal strength of your iPhone 5 and 5S

Features:
- Increase the battery power up to 40 minutes more conversation time
- Protect your iPhone from scatches, dust, dirt and wear
- Increases the 3G and WiFi signal strengh with two integrated sliding antennas
- Easy to attach, detach and cleanable
- Slim and handy design, ideal for traveling and for business-trips

EAN-Code: 4260101734778 (Black) **Article No.** 4430
EAN-Code: 4260101734785 (White) **Article No.** 4431
EAN-Code: 4260101739988 (Blue) **Article No.** 4450
EAN-Code: 4260101739995 (Gold) **Article No.** 4451

Technical Specifications:
- Connections, ports, control elements, sensors and the camera lens remain free
- Newest signal-enhancing EMW technology (Electromagnetic Waveguide)
- Material: multi-coated impact-resistant polycarbonate
- Weight / Dimensions: 25g / (L) 6.1x (W) 1.1 x (H) 12.6 cm

Package Contents:
- LINKASE PRO TX-27 (3G + WiFi signal enhancing case for iPhone 5 and 5S)
- User Manual

LP and Cassette Converter with Stereo Radio TX-22

Digitize your old vinyl records and audio cassettes to USB or SD card

Features:
- Directly recording to USB flash drive or SD card up to 32GB
- Analog AM / FM / FM stereo radio and recordings possible
- No PC required
- AUX–IN jack
- Headphone jack
- 3 speeds (RPM): Long play record 33 1/3, Single 45, Shellac 78
- Built-in cassette player
- Plays MP3 music files form USB flash drive or SD / MMC card
- Built-in full range stereo speakers
- Built-in full range stereo radio
- Nice shape and easy handling

Technical Specifications:
- USB / SD / MMC slot for encoding & decoding
- Built-in 45 RPM adapter
- Belt-drive and semi-automatic play tone arm
- Ceramic stereo cartridge with jewel stylus
- LCD screen with backlight
- Removable semi transparent plastic dust cover
- 3.5 mm Jack
- Input power: 100–240V / AC
- Weight / Dimensions: 2.38 KG / (L) 31.5 x (W) 29.0 x (H) 11.0 cm

Package Contents:
- LP and Cassette Converter with Stereo Radio TX-22
- Fixed radio antenna
- User Manual

EAN-Code: 4260101739896
Article No. 4350

DigiScan DS-02

Digitize your negative films and slides films (Transmission on SD/SDHC card directy)

Features:
- Portable high-res scanner for negative films and slide films
- High brilliance of colour with automatic white balance & exposure compensation
- 5 mega pixels CMOS sensor and 2,4" TFT display
- Built-in SD / SDHC card slot up to 32GB
- Supports USB 2.0 MSDC interface (high speed)
- Usable as stand-alone device
- Small, light-weight, handy and easy to use

Technical Specifications:
- Sensor: CMOS 1/3.2" 5 mega pixels
- Sensitivity: Automatic adjustment
- Lens: Fixed focus F/6.0, F = 6.34mm
- Focus range: 5.6cm
- Still image: JPEG, Resolution: 5M, 10M (interpolation)
- TV output format: NTSC / PAL
- Light source: Backlight compensation
- Power: DC 5V
- CPU: Intel Pentium 4/2.8 GHz or higher
- Memory: 512 MB or higher
- Video card: 64 MB or high top video card
- Transmission connection: Standard USB 2.0 or higher
- Hard disk capacity: 200 MB minimum
- Weight / Dimensions: 300 g / (L) 8.8 x (W) 8.6 x (H) 11.0 cm

System Requirements:
Windows XP + Windows Vista, Win7 (32/64 Bit), Win8 (32/64 Bit)

Package Contents:
- DigiScan DS-02
- USB cable
- Video cable
- Holder for 135er negative films
- Holder for slide films
- Rapid slide feeder
- DC 5V adapter
- Cleaning brush
- User Manual

EAN-Code: 4260101736437
Article No. 4166

DigiTape DT-01

Digitize your old audio tapes

Features:
- Convert your old audio cassettes to MP3 for playback on iPod and MP3 player or for burning on CD
- Audio output for listening on stereo systems, headphones or other speaker systems
- Plug & Play device, no driver needed
- Flexible power supply via battery or USB
- Auto Reverse Function
- Inclusive software for transver to MP3 format
- Handy design and easy handling

Package Contents:
- DigiTape DT-01 (Digital tape converter for audio cassettes)
- USB cable
- CD-ROM
- User Manual

EAN-Code: 4260101736468 **Article No.** 3338

Technical Specifications:
- MP3 bit rate: 64 – 320 kbps
- Audio output: 3.5mm stereo jack (headphones)
- Power: 3V (2x AA batteries, not included) or USB connection
- Headphones: 32 Ohm impedance; 100 – 20 KHz frequency range; <1,5% harmonic distortion (THD)
- Recommended duty cycle: 90 min. operation / 30 min. OFF
- Weight / Dimensions: 176 g / (L) 11.3 x (W) 3.0 x (H) 8.3 cm

System Requirements:
- Windows 8.1 / 8 / 7 / Vista / XP
- IBM PC/AT compatible computer with 800 MHz processor or higher
- Hard disc memory: 70MB (for software), 4GB (for audio editing)
- RAM 256 MB / CD-ROM drive / USB interface

DigiTapeadapter DT-02

Turn the tape deck of a radio or home hi-fi system into a MP3 player

Features:
- Still use your car tape radio or the tape unit in your hi-fi system and listen to your favourite music titles as MP3
- Large memory due to SD memory cards up to 32GB
- All function buttons are integrated into the tape adapter
- Card Reader function, Auto-Play function, Auto-MusicSearch function
- Portabler MP3 player
- Earplugs are included
- Handy design and easy handling

Package Contents:
- DigiTapeadapter DT-02
- Mini USB cable
- Car charger (11-24V)
- Travel charger (110-250V)
- Earplugs
- Remote control
- MicroSD adapter
- User Manual

Technical Specifications:
- Supports memory cards up to 32GB
- Supports file format MP3
- Earplug socket 3.5mm jack
- Built-in, rechargeable lthium-ion battery (viar USB port)
- Weight / Dimensions: 48 g / (L) 10.2 x (W) 6.3 x (H) 1.2 cm

System Requirements:
- Windows 8.1 / 8 / 7 / Vista / XP
- IBM PC/AT compatible computer with 800 MHz processor or higher
- Hard disc memory: 70MB (for software), 4GB (for audio editing)
- RAM 256 MB / CD-ROM drive / USB interface

EAN-Code: 4260101734433 **Article No.** 3624

USB 2.0 Video Grabber TX-20

Simple digitizing analog video and audio sources

Features:
- Capture high-quality video and audio files directly by USB2.0 interface without a sound card
- Digital image quality with resulution: NTSC 720x480 @ 30 fps and PAL 720x576 @ 25 fps
- Different ports: USB2.0, S-Video, Video-Cinch, Stereo-Audio
- Simple transformation of your data from sources like e.g. VHS video recorder, CD player, cameras, etc.
- Finishing stylish movies in three steps, create special effects, clip video files and more
- Share finished projects on DVD, tape, the Web and mobile devices
- Professional Video-Editing-Software is enclosed (as solution for a laptop)
- Support for all formats: record in DVD+/-R/RW, DVD+/-VR, DVD-Video
- Plug & Play device, no external power source necessary

Technical Specifications:
- Universal Serial Bus Specification Rev. 2.0.
- Video format: NTSC / PAL
- Video input: 1x RCA composite, 1x S-Video
- Audio input: Stereo audio (RCA) mm, USB bus power
- Supports brightness, contrast, hue, saturation
- High-speed rendering and real-time performance
- USB: Compliant USB2.0 free port
- CPU: Pentium III 800 above
- HD: 600MB of available hard drive space (programme installation & file format support) & 4GB hard drive space (video capture and editing)
- Memory: 256MB of RAM
- Windows-compatible display with at least 1024 x 768 & compatible Windows-sound card
- Weight / Dimensions: 45 g / (L) 25.5 (with cable) x (W) 2.8 x (H) 1.5 cm

System Requirements:
Win8 / Win7 / Windows Vista / Windows XP

Package Contents:
- USB 2.0 Video Grabber TX-20
- CD-ROM CD-ROM (included driver + professional video editor software)
- User Manual

EAN-Code: 4260101738028
Article No. 1604

TECHNAXX®

FMT 100

FM-Transmitter with MP3 function

Features:
- Directly reading data from SD / SDHC / USB up to 32GB
- Supports MP3 and WMA formate
- USB input and Audio jack
- Rotatable axis of device for comfortable handling
- LCD display
- 100% Plug & Play
- Save transmitting frequency and broadcast
- Fashionable design

Technical Specifications:
- Transmitting distance: 3m - 5m
- Frequency response: 30 - 15KHz ± 3db
- Frequency range (shown on display): 87.5 - 108.0MHz
- Bit rate: 32Kbps - 256Kbps
- EMI standard: FCC (Class B)
- Signal to Noise Ratio (SNR) / Harmonic distortion: 30dB / ≤ 1%
- Power supply / Electric current: DC 12V / 12V < 100mA
- Device starts with latest saved values (frequency, volume, title)
- Weight / Dimensions: 51 g / (L) 11.5 x (W) 5.0 x (H) 4.0 cm

Package Contents:
FMT100 Transmitter, Audio cable, Spare fuse, Remote control, User Manual

EAN-Code: 4260101731531
Article No. 906

FMT 300BT

FM-Transmitter with Bluetooth and MP3 function

PCgo 11/09 gut

mobile zeit

Features:
- MP3 function and Bluetooth hands-free talking for cars (compatible with nearly all BT mobile phones)
- CVC-technology for clearly speaking (restrain noise & echo)
- Excellent sound quality with full Duplex Communication
- Automatically Bluetooth connection (after first adjustment)
- Flexible swan neck of device for comfortable and easy handling
- Steering wheel and hand remote control
- Built-in microphone with noise reduction
- Music mute function for enjoyable speaking comfort
- Equalizer mode & Repeat mode
- Selection function for folder and file names (LCD display)
- Re-dial function* & voice-dial function* (*depend on mobile phone)

Technical Specifications:
- Bluetooth interface: Version 2.1, Class 2
- Bluetooth frequency range: 2.402 ~ 2.480GHz
- Supported Bluetooth profiles: HSHF, Headset, A2DP
- Supported memory format: SD / SDHC / MMC / USB bis 32GB
- FM frequency range: 88.1 ~ 107.9MHz
- Operating voltage range: DC 12V ~ 24V (car cigarette lighter socket), Plug & Play
- Charger output range: 5V DC, 1.5A
- Supported Audio IN, Audio OUT 2.5mm (AUX input)
- DSP technology: Echo elimination, Background noise reduction
- Weight / Dimensions: 105 g / (L) 26.0 (with swan neck) x (W) 4.5 x (Thickness) 3.0 cm

Package Contents:
FMT300BT Transmitter, Audio cable 3.5 to 2.5 jack, Spare fuse, Earphones, Remote control for steering wheel & manual usage, User Manual

EAN-Code: 4260101732224
Article No. 1456

FMT 400

FM-Transmitter with Audio AUX

Features :
- MP3 function to enjoy music through a car radio
- LINE-IN music playback from external audio devices (MP3 player, CD etc.)
- Usable as 5V USB charger for mobile phones and other USB devices
- Large 1,5" LCD display for audio file informaton and frequency
- Supports MP3 / WMA music files from SD / MMC card & USB up to 32GB
- Flexible swan neck for comfortable and easy handling

Technical Specifications:
- FM frequency range: 87.5 ~ 108.0MHz (in total 206 channels)
- Audio frequency range: 35Hz ~ 20KHz
- Power source: 12V – 24V (car cigarette lighter jack), Plug & Play
- 5V Power output / 5V USB charger
- Sound channel separation: 40dB
- Many EQ and circulation options
- AUX input: 3.5mm stereo jack
- Weight / Dimensions: 100 g / (L) 27.0 x (W) 5.0 x (Thickness) 3.0 cm

Package Contents:
FMT400 Transmitter, Audio cable, Remote control, User Manual

EAN-Code: 4260101733894
Article No. 3575

TECHNAXX®

Action Sunglasses VGA (Art-Nr. 3591)



Video Sunglasses HD Camcorder (Art-Nr. 3516)

Universal Car Holder with Charger TE06

Multicolour (Art-Nr. 3628)

waterproof (3629)

Mini DVB-T Stick S6 (Art-Nr. 3587)

DVB-T Stick S4 (Art-Nr. 1669)

MusicMan®

www.musicman.eu www.technaxx.de

Products 2014/2015

MusicMan®

Technaxx Deutschland GmbH & Co.KG

Web | www.musicman.eu
www.technaxx.de

Head Office | Kruppstraße 105
60388 Frankfurt/Main (Germany)
Phone: +49 (0) 69 / 90 47 552 – 0 * Fax: – 16
EMail: verkauf@technaxx.de
EMail: sale@technaxx.com

SFT 07/2014
TESTURTEIL GUT
NOTE 2,1

NANO Bluetooth Soundstation BT-X7

Probably the smallest speaker in the world

Features:
- Easy music transfer with Bluetooth compatible devices
- Audio playing via 3.5mm Line–IN socket
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymer 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 3.0 with 2W output power
- Ideal for traveling, easy installation, crystal clear sound

Package Contents:
MusicMan® NANO Bluetooth Soundstation BT–X7, Micro USB cable, User Manual

Technical Specifications:
- Operating distance: ~ 10m
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2 – 2.5 hours (highest volume)
- Driver: Ø 31mm, 4Ω, 2W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 100Hz – 20KHz
- Signal-Noise-Ratio: S / N ≥ 85dB
- Total Harmonic Distortion: THD ≤10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 43g / Ø 3.3 cm x 3.6 cm

EAN-Code: 4260101739155 (Black) **Article No.** 4352
EAN-Code: 4260101739162 (Blue) **Article No.** 4353
EAN-Code: 4260101739179 (Champagne) **Article No.** 4354
EAN-Code: 4260101739186 (Pink) **Article No.** 4355
EAN-Code: 4260101739193 (White) **Article No.** 4356

NANO Bluetooth Soundstation waterproof BT-XII

Super small waterproof speaker

Features:
- Easy music transfer with Bluetooth compatible devices
- Special protection (IPX5) against water jet, dust and touching
- Stylish holder for mounting on smooth surfaces
- Grippy silicone case
- Audio playing via 3.5mm Line–IN socket
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymere 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 3.0 with 3W output power
- Ideal for traveling, easy installation, crystal clear sound

Package Contents:
MusicMan® NANO Bluetooth Soundstation waterproof BT–X11, Micro USB cable, Keyring buckle, Holder for smooth surfaces, User Manual

Technical Specifications:
- Operating distance: ~ 10m
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2–2.5 hours (highest volume)
- Driver: Ø 31mm, 4Ω, 3W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 180Hz – 16KHz
- Signal-Noise-Ratio: S / N ≥ 65dB
- Total Harmonic Distortion: THD ≤10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 43g / Ø 4.1 cm x 5.0 cm

EAN-Code: 4260101739117 (Black) **Article No.** 4463
EAN-Code: 4260101739124 (Blue) **Article No.** 4464
EAN-Code: 4260101739131 (White) **Article No.** 4465

NANO Selfie Bluetooth Soundstation BT-XI2

Super mini speaker with photo remote shutter function and hand monopod

Features :
- Remote Shutter Function for photos via Bluetooth for mobile devices
- Easy connection with Bluetooth compatible devices
- Supports iPhone, Samsung, iOS & Android OS
- Hand tripod as arm extension enclosed in delivery
- Audio playing via 3.5mm Line–IN socket
- Built-in hands-free function with built-in microphone
- Built-in rechargable lithium-polymere 300mAh battery 3.7V
- Playing time approx. 4 hours by medium volume
- Bluetooth version 2.1 with 3W output power
- Ideal for aerial photography, concerts, parties, easy installation, crystal clear sound

Technical Specifications:
- Bluetooth operating distance: ~ 10m (open range)
- Battery charging time: ~ 1.5 hours
- Battery playing time: ~ 4 hours (medium volume)
- Battery playing time: ~ 2 – 2.5 hours (highest volume)
- Supports zoom function, but only for Android 4.0 and higher
- Driver: Ø 31mm, 4Ω, 3W
- Amplifier: Class D H6871
- Input: 20MV – 500MV
- Frequency: 100Hz – 20KHz
- Signal-Noise-Ratio: S / N ≥ 82dB
- Total Harmonic Distortion: THD ≤10%
- Working temperature: –10°C up to +50°C
- Weight / Dimensions: 43 g / Ø 4.1 cm x 5.0 cm
- Hand monopod Weight / Dimensions: 150 g / (L) 22 cm (up to 100cm extendable)

Package Contents:
- MusicMan® NANO Selfie Bluetooth Soundstation BT-X12
- Micro USB cable
- Hand monopod
- Hand loop
- User Manual

EAN-Code: 4260101739049 (Black) **Article No.** 4469
EAN-Code: 4260101739056 (Blue) **Article No.** 4470
EAN-Code: 4260101739063 (Pink) **Article No.** 4471
EAN-Code: 4260101739070 (White) **Article No** 4472

MICRO Bluetooth Soundstation BT-X8

Bluetooth speaker system with wireless audio transfer and MicroSD card slot

Features:
- Easy connection with Bluetooth compatible devices
- MicroSD card slot up to 32GB and built-in FM radio
- Line–IN 3.5mm for connection to other audio devices
- Built-in hands-free function with built-in microphone
- Built-in rechargable 3.7V lithium 600mAh battery
- Changeable silicone sleeves in different colours
- Ideal for traveling, easy installation, excellent sound quality

Technical Specifications:
- Bluetooth version: 3.0 with 3W output power
- Bluetooth tranmission distance: ~ 10m
- Battery charging time: ~ 1.5 – 2 hours
- Battery playing time: ~ 5 – 6 hours (medium volume)
- Function: Line–IN, Bluetooth, Hands-Free, AUX, FM Radio
- Power Supply: DC 5V and built-in Li-battery
- Weight / Dimensions: 110 g (with hand loop) / 6 x 6 x 5.3 cm

Package Contents:
- MusicMan® MICRO Bluetooth Soundstation BT–X8
- Micro USB cable
- Audio cable
- Hand loop
- 4 silicone sleeves in different colours
- User Manual

EAN-Code: 4260101739148 **Article No.** 4400



MIDI Soundstation

Portable stereo speaker system with built-in MP3 player and FM radio

Features:
- Stereo speaker with built-in MP3 player und FM radio
- Supports USB flash disk and MicroSD memory cards up to 32GB
- Use for MP3/4, CD/DVD, iPhone/iPad/iPod, PSP, mobile phones, PC/Notebook
- Aluminum housing with protection grille for the speaker cone
- Built-in, rechargable, replaceable lithium-ion 600mAh battery
- Playing time approx. 5-6 hours by medium volume
- Ideal for traveling, easy installation, excellent sound quality

Technical Specifications:
- Line-IN / AUX (Mini USB slot)
- Battery charging time ~ 4 hours
- Playing time: ~ 6 hours (MicroSD)
- Playing time: ~ 5 hours (USB)
- DC 5V: Input power (0.4-1.0 A) by USB or AC adapter* (* not included)
- Speaker: Signal/Noise Ratio ≥ 80 dB, Output: RMS 6W (3W + 3W)
- Weight / Dimensions: 140g / (L) 8 x (W) 5 x (H) 5,3cm

Package Contents:
- MusicMan® MIDI Soundstation
- USB / Power / Audio cable
- User Manual

EAN-Code: 4260101738349 (Black) **Article No.** 3556
EAN-Code: 4260101738356 (Blue) **Article No.** 3557
EAN-Code: 4260101738363 (Silver) **Article No.** 3554
EAN-Code: 4260101738370 (Pink) **Article No.** 3558
EAN-Code: 4260101738387 (Green) **Article No.** 3555

MAXI Bluetooth Soundstation BT-X10

Music cube with sonorous bass and crystal clear sound!

Features:
- Streaming music in MP3 / WMA / WAV format from any bluetooth enabled devices
- "Karaoke-function", recording function and voice amplifier function
- FM radio and extendable antenna for better radio reception
- Built-in MP3 player
- Built-in microphone and AUX-IN
- Supports MicroSD cards and USB up to 32GB
- Connection with Bluetooth compatible devices
- Operating distance Bluetooth max. 10m (open range)
- 1.8" LCD screen (2 x 4cm)
- Remote control for more convenient operation
- Rechargable and changeable Lithium 2600mAh battery 7.4V

Technical Specifications:
- Bluetooth module: CSR BC8605, V4.0 with A2DP streaming
- Audio playing: Built-in AUX-IN
- Music format: MP3 / WMA / WAV
- Bit rate: 16K – 320KPS
- RMS power: 4", 4Ω, 10 W
- Max. output power: 50 W
- Frequency: 70 Hz – 16 KHz
- Signal Noise Ratio: S / N ≥ 75 dB
- Total Harmonic Distortion: THD ≤ 15%
- Charging time ~ 5 – 6 hours
- Playing time ~ 7 hours by medium volume
- Playing time ~ 5 hours by maximum volume
- Shell material: ABS
- Weight / Dimensions: 1 kg / (L) 15 x (W) 15 x (H) 19 cm (with handle)

Package Contents:
- MusicMan® MAXI Bluetooth Soundstation BT-X10
- Power adapter
- Remote control
- Microphone
- User Manual

EAN-Code: 4260101739780
Article No. 4459

Makro Soundstation X6

Portable Mini Speaker System with built-in Radio

Features:

- Mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet PC, PC/Notebook
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Package Contents:

MusicMan® Makro Soundstation X6, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

Technical Specifications:

- Function: MicroSD card, USB flash drive, Line-IN, FM
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

EAN-Code: 4260101739681 (Black) **Article No.** 4243
EAN-Code: 4260101739698 (Blue) **Article No.** 4244
EAN-Code: 4260101739704 (Silver) **Article No.** 4245
EAN-Code: 4260101739711 (Violet) **Article No.** 4246
EAN-Code: 4260101739728 (Gold) **Article No.** 4247

Makro Bluetooth Soundstation NFC-X6

Portable Mini Speaker System with Bluetooth function & NFC function & built-in Radio

Features:

- Bluetooth mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet-PC, PC/Notebook
- Connection with all Bluetooth enabled devices (Mobile phones, Tablet PC, etc.)
- Transmission standard for the contactless exchange of data via radio technology over short distances of a few centimeters (NFC)
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Package Contents:

MusicMan® Makro Bluetooth Soundstation NFC–X6, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

Technical Specifications:

- Function: MicroSD card, USB flash drive, Line-IN, FM, Microphone, Bluetooth (Version V3.0)
- Transmission range Bluetooth: <= 10m
- NFC function [Near Field Communication]
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

EAN-Code: 4260101739735 (Black) **Article No.** 4248
EAN-Code: 4260101739742 (Blue) **Article No.** 4249
EAN-Code: 4260101739759 (Silver) **Article No.** 4250
EAN-Code: 4260101739766 (Violet) **Article No.** 4251
EAN-Code: 4260101739773 (Gold) **Article No.** 4252

Grenade Soundstation X4

Portable Mini Speaker System with built-in Radio

Features:

- Mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet PC, PC/Notebook
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Package Contents:

Grenade Soundstation X4, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

Technical Specifications:

- Function: MicroSD card, USB flash drive, Line-IN, FM
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

EAN-Code: 4260101739582 (Black) **Article No.** 4233
EAN-Code: 4260101739599 (Blue) **Article No.** 4234
EAN-Code: 4260101739605 (Silver) **Article No.** 4235
EAN-Code: 4260101739612 (Violet) **Article No.** 4236
EAN-Code: 4260101739629 (Gold) **Article No.** 4237

Grenade Bluetooth Soundstation BT-X4

Portable Mini Speaker System with Bluetooth function & built-in Radio

Features:

- Bluetooth mini speaker system for iPhone, iPad, iPod, Mobile phones, Tablet-PC, PC/Notebook
- Connection with all Bluetooth enabled devices (Mobile phones, Tablet PC, etc.)
- MicroSD card slot & USB port up to 32GB
- Earphone output with Ø 3.5mm jack
- AUX entrance for connection of other audio devices
- Built-in rechargeable (~ 4 hours) Lithium battery 600mAH (via USB cable)
- Playing time with MicroSD card / USB: ~11 hours / ~6 hours
- Durable aluminium housing in 5 trendy colours
- Easy installation and excellent sound quality
- Small and handy, ideal for traveling

Package Contents:

MusicMan® Grenade Bluetooth Soundstation BT-X4, Micro 5 PIN charging cable, 3.5mm Line–IN cable, User Manual

Technical Specifications:

- Function: MicroSD card, USB flash drive, Line-IN, FM, Microphone, Bluetooth (Version V3.0)
- Transmission range Bluetooth: <= 10m
- Sound track: Mono
- Audio output: USB audio slot
- Output power maximum / Impedance: 3W / 4Ω
- Frequency response: 150Hz~18KHz (here with out Ω)
- S/N ratio / Sensitivity: 80dB / 420mV
- Distortion degree: 1% (here with out Ω), 1W, 1KHz
- Power source: DC 5V
- Speaker Ø / weight: 45mm / 153g

EAN-Code: 4260101739636 (Black) **Article No.** 4238
EAN-Code: 4260101739643 (Blue) **Article No.** 4239
EAN-Code: 4260101739650 (Silver) **Article No.** 4240
EAN-Code: 4260101739667 (Violet) **Article No.** 4241
EAN-Code: 4260101739674 (Gold) **Article No.** 4242

www.testfactory.de
TESTfactory
Geprüfte Qualität
13TXXD4MP3032

New version with USB port up to 32GB



Mini Soundstation with USB-port

Portable mini speaker for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook

Features:
- Portable mini speaker for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to 32GB
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~ 2 1/2 hours
- Battery playing time (with SD card) ~ 8 – 9 hours at medium volume
- Battery playing time (with USB) ~ 4 – 5 hours at medium volume
- Connections: USB & MicroSD & 3.5mm Jack cable
- Weight / Dimensions: 117 g / 5 x 5 x 5 cm

Package Contents:
- Mini MusicMan® Soundstation (with USB port)
- USB / Audio / 3.5mm Jack cable
- Supporting loop for the hand (to fix on device)
- User Manual

EAN-Code: 4260101736161 (Black)	**Article No.** 3527
EAN-Code: 4260101736178 (Blue)	**Article No.** 3530
EAN-Code: 4260101736185 (Silver)	**Article No.** 3528
EAN-Code: 4260101736192 (Pink)	**Article No.** 3531
EAN-Code: 4260101736208 (Green)	**Article No.** 3529

MusicMan®

SFT 09/2012
TESTURTEIL GUT
NOTE 2,2

PC Magazin
Gesamtnote GUT
www.pc-magazin.de 9/2012

PCgo 10/12
gut



Mini Wireless Soundstation BT-X2

Portable Mini Bluetooth Speaker System with wireless audio transfer

Features:
- Portable, wireless mini Bluetooth speaker for iPhone, iPad, iPod, Mobile phones, Tablet PC, PC/Notebook
- Connection with all Bluetooth enabled devices & wireless audio transfer
- MicroSD card slot up to 32GB
- AUX entrance for connection of other audio devices
- Built-in, rechargeable lithium battery 600mAh
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 – 9 hours at medium volume
- Earphone jack for 3.5mm jack cable
- Weight / Dimensions: 100 g / 5 x 5 x 5 cm

Package Contents:
- Mini MusicMan® Wireless Soundstation BT-X2
- USB charging cable
- Audio cable
- User Manual

EAN-Code: 4260101739254 (Black)	**Article No.** 3807
EAN-Code: 4260101739261 (Blue)	**Article No.** 3808
EAN-Code: 4260101739278 (Silver)	**Article No.** 3809
EAN-Code: 4260101739285 (Pink)	**Article No.** 3810
EAN-Code: 4260101739292 (Green)	**Article No.** 3811

MusicMan®

MA Display Soundstation

Portable Stereo Speaker System with built-in MP3 player & FM radio & Display

Features:

- Portable stereo speaker with display for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to 32GB & MP3 player
- Built-in stereo FM radio + Line-IN / AUX (3.5mm / analog audio input)
- Display (128x32mm, black/white): Music title/Song text/Playback time/Total time/EQ/Clock/Date/Alarm clock/etc.
- Built-in, rechargeable and replaceable lithium battery BL-5B
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:

- Loudspeaker: 2x 1.77" (external Ø 45mm) magnetic resistant 4 Ohm
- Output: RMS 6W (3W + 3W) THD = 10%
- Line-IN / AUX: 3.5mm stereo plug (analog audio input)
- Signal / Noise Ratio: ≥ 80dB
- Frequency response: 150–18000Hz (±3dB)
- Power: Lithium battery BL-5B (built-in, rechargeable, replaceable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 hours at medium volume
- Battery playing time (with USB) ~ 6 hours at medium volume
- FM antenna 3.5mm plug (use the audio cable as FM Antenna)
- Power input: DC 5V (0.4-1.0 A)
- Weight / Dimensions: 220 g / 16.3 x 5.0 x 5.5 cm

Package Contents:

- MusicMan® MA Display Soundstation
- USB charging cable
- Audio cable
- User Manual

EAN-Code: 4260101738240 (Black) **Article No.** 3429
EAN-Code: 4260101738257 (Blue) **Article No.** 3430
EAN-Code: 4260101738264 (Silver) **Article No.** 3431
EAN-Code: 4260101738271 (Pink) **Article No.** 3432
EAN-Code: 4260101738288 (Green) **Article No.** 3433

New version with grill protection for the speaker cone

MA Soundstation

Portable Stereo Speaker System with built-in MP3 player & FM radio

Features:

- Portable stereo speaker system for MP3, iPhone, iPad, iPod, PSP, Mobile phones, PC/Notebook
- USB port & MicroSD card slot up to32GB & FM radio & AUX / Line-IN
- Grill protection for the speaker cone
- Built-in, rechargeable lithium-ion battery 600mAh 3.7V
- Durable aluminium housing, available in 5 metallic colours
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:

- Loudspeaker: 2x 1.77" (external Ø 45mm) magnetic resistant 4 Ohm
- Output: RMS 6W (3W + 3W) THD = 10%
- Line-IN / AUX: 3.5mm stereo plug (analog audio input)
- Signal / Noise Ratio: ≥ 80dB
- Frequency response: 150–18000Hz (±3dB)
- Power: Lithium battery 600mAH (built-in, rechargeable), PC-USB, AC adapter* (*not included)
- Battery charging time ~4 hours
- Battery playing time (with SD card) ~ 8 hours at medium volume
- Battery playing time (with USB) ~ 6 hours at medium volume
- FM antenna 3.5mm plug (use the audio cable as FM Antenna)
- Power input: DC 5V (0.4-1.0 A)
- Weight / Dimensions: 215 g / 16 x 5 x 5 cm

Package Contents:

- MusicMan® MA Soundstation
- USB charging cable
- Audio cable
- User Manual

EAN-Code: 4260101736215 (Black) **Article No.** 3547
EAN-Code: 4260101736222 (Blue) **Article No.** 3548
EAN-Code: 4260101736239 (Silver) **Article No.** 3546
EAN-Code: 4260101736246 (Pink) **Article No.** 3544
EAN-Code: 4260101736253 (Green) **Article No.** 3545



BT-X3 2.1 Soundstation

Play music via Bluetooth or storage media

Features:

- Bluetooth HiFi Speaker system with excellent sound in deep and high sound areas
- Built-in MP3 player! Play your favorite music directly from SD card or USB stick without PC or stereo system!
- 2.1 Surround System with RMS: 5" + (2.5" x 2) equals 15W + (6W x 2) = 27W
- Connection to PC/Notebook, DVD player, CD player, MP3/MP4 player
- Connection to all Bluetooth enabled devices (Mobile phones, PDA, Tablet, etc.)
- AUX-IN via audio jack cable
- Clear and easiest handling

Technical Specifications:

- Speakers: 5" + (2.5" x 2) equals 15W + (6W x 2) = 27W
- Impedance: 4Ω Subwoofer / 4Ω Satellites
- S/N Ratio: 60 dB
- Frequency: 25 Hz ~ 20 KHz
- Subwoofer dimensions / weight: (B) 200 x (H) 190 x (T) 235mm / 2,85kg
- Satellites dimensions / weight: (B) 90 x (H) 90 x (T) 90mm / 2 x 396g

Package Contents:

- MusicMan® BT-X3 2.1 Soundstation
- Audio jack cable 1 x 3.5 jack to 2 x 3.5 jack
- User Manual

EAN-Code: 4260101739537 (Black)	**Article No.** 4157
EAN-Code: 4260101739544 (Silver)	**Article No.** 4158
EAN-Code: 4260101739551 (Bright Blue)	**Article No.** 4159
EAN-Code: 4260101739568 (Rose)	**Article No.** 4160



BassHead MP3 Stereo Headphones

Listen to your MP3 musik from MicroSD card & Mobile phone or listen to FM-Radio

Features:

- Balanced-clear sound performance in low and high sound ranges
- Built-in MP3 player and FM radio
- Built-in MicroSD card slot up to 32GB
- AUX audio input: connect mobile phones, MP3 player, CD, PC or other devices
- Equalizer function with different sound adjustments
- Music in MP3 format for expressive stereo sounds
- Comfortable fit with good cushioning
- Ideal for traveling, easiest installation, brilliant sound quality

Technical Specifications:

- Built-in rechargeable Lithium Ion battery
- Battery charging time ~2 hours
- Battery playing time (with SD card) ~10 hours at medium volume
- FM radio: 87.5 ~ 108.0MHz
- Frequency response: 20Hz ~ 20KHz
- MP3 player decoding range: 8Kbps ~ 320Kbps
- Sensibility: 112+ / –3dB
- Speaker impedance: 32ohm
- Enclosed audio cable can be used as radio antenna
- Ear cup dimensions / Device weight: Ø 4cm / 147g

Package Contents:

- MusicMan® BassHead MP3 Stereo Headphones
- USB charging cable
- Audio cable.
- User Manual

EAN-Code: 4260101738455 (Black)	**Article No.** 3786
EAN-Code: 4260101738462 (Blue)	**Article No.** 3788
EAN-Code: 4260101738479 (White)	**Article No.** 3790
EAN-Code: 4260101738486 (Pink)	**Article No.** 3789
EAN-Code: 4260101738493 (Green)	**Article No.** 3787
EAN-Code: 4260101738547 (Yellow)	**Article No.** 4039

PCgo 9/12 sehr gut

SFT 06/2012 Testurteil GUT 2,4

Power Booster TX-12

Intensify the sound performance of your headphones

Features:

- 3D surround sound audio giving the impression of almost limitless audio power
- Upgrades the sound of a headphone to a HiFi–sound
- Suitable for headphones with 3.5mm jack connector
- Mini USB port with Mini USB adapter included
- Use the clip to attach and easy to wear
- Small and handy, ideal for traveling

Package Contents:

- MusicMan® Power Booster TX-12
- Mini USB adapter
- 3.5mm stereo Jack cable
- User Manual

EAN-Code: 4260101739575 **Article No.** 4231

Technical Specifications:

- Audio input: Ø 3.5mm Stereo Jack
- Headphone output: Ø 3.5mm Stereo Jack
- Output power maximum: 50mW + 50mW (32 Ω, T.H.D. 10%)
- Power source: Built-in rechargeable Lithium Ion battery
- Charging Time ~3 – 3.5 hours
- Playing Time ~ 8 hours
- Frequency response: 20Hz~20KHz (16~64Ω)
- S / N ratio: > 92dB (JIS–A)
- Harmonic distortion: < 0.04% (16Ω, 10mW output)
- Weight / Dimensions: 18 g / 2.7 x 2.2 x 4.2 cm

Power Bank TX-08

High power battery package with 8000mAH for MusicMan®, various mobile and digital devices

Features:

- Usable for all MusicMan® Soundstations
- Usable for many mobile phones and other digital devices
- Dual-charging ports, charging of two devices at once
- Small and handy, ideal for traveling

Package Contents:

- MusicMan® Power Bank TX-08
- USB cable (15cm)
- Micro 5 pin adapter
- iPhone adapter
- Samsung Galaxy P1000 adapter
- User Manual

EAN-Code: 4260101738219 **Article No.** 3921

Technical Specifications:

- USB Input: DC 5V 1A max.
- USB Output x 2: DC 5V 2.1A max. (shared)
- Charging Time: ~ 10 hours
- Aufladen von zwei Geräten gleichzeitig
- Charging two devices at once
- Charging of the Power Bank and another device simultaneously
- Protected by built-in Smart Power Management Controller
- Weight / Dimensions: 198 g / 10 x 6.2 x 2.4 cm